




PTSD Pre-test & Post-test 2020 Comparison results

Statistical Summaries PTSD (2020)

	PTSD (pre-test)	PTSD (post-test)
<i>N</i>	28	28
<i>Mean</i>	40.29	19.61
<i>Median</i>	36.00	14.00
<i>Std. Deviation</i>	18.02	13.10
<i>Minimum</i>	12.00	2.00
<i>Maximum</i>	79.00	55.00



Layman's Conclusion:


There were a total of 29 *Dedicato* clients that completed the client's treatment program for the year 2020. These results have shown that the post-traumatic stress disorder levels of the participants significantly decreased by approximately 51.3% after completion the center's treatment program. The results have indicated that the participant's average *PTSD* levels after the program were significantly lower than their *PTSD* levels before the program indicating the center's treatment program provide meaningful insights and significantly effective treatment program in lowering the client's *PYSD* levels.



PTSD levels between 2018 to 2020 comparisons

Yearly Statistics: PTSD (post-test comparisons)

<i>Year</i>	<i>N</i>	<i>Mean</i>	<i>Median</i>	<i>Std. Deviation</i>	<i>Minimum</i>	<i>Maximum</i>
2018	28	17.39	14.00	12.95	0.00	50.00
2019	31	14.61	9.00	17.33	0.00	59.00
2020	28	19.61	14.00	13.10	2.00	55.00
Total	87	17.11	13.00	14.69	0.00	59.00



Layman's Conclusion:

There were a total of 87 Dedicato clients that completed the center's intervention and rehabilitation program for the PTSD levels between the years of 2018, 2019 and 2020. These results have shown that the *PTSD* levels of the participants decreased by approximately 16.0% between 2018 and 2019 but increased by about 34.2% between 2019 and 2020 after completing the center's rehabilitation program. The results have shown that the post-PTSD levels across the three-year period were statistically not significant. Overall, the after program PTSD levels were within the expected changes between the three-year period indicating that the center's intervention and rehabilitation program provide consistent meaningful insights and significantly effective treatment program in lowering the client's PTSD levels.